


Smart ROC D65 XLF

Plant Information



GROUND BELOW



Smart ROC D65 XLF – Height and Length



Descriptions	Dimensions
Long Feed (LF) dumped	
Height (H1)	3,500 mm
Length (L1)	11,600 mm
XL feed dumped	
Height (H1)	3,500 mm
Length (L1)	12,400 mm
Standard feeds (SF) dumped	
Height (H1)	3,500 mm
Length (L1)	9,300 mm
Feed Height (H2)	
Long Feed (LF)	11,600 mm
Standard feed (SF)	9,400 mm
XL feed	12,400 mm

GROUND BELOW


Smart ROC D65 XLF – Horizontal Reach



Horizontal Reach (mm)	A	B	C	D
Standard feed (with or without Auto Feed Fold)	2,700	3,190	25°	25°
Long feed XLF	2,577	3,075	17°	13°
Long feed XLF Auto feed fold	2,660	2,890	17°	13°

GROUND BELOW

Smart ROC D65 XLF – Vertical Reach



Vertical Reach (mm)	A	B
Standard feed	582	2,277
Long feed	1,040	2,659
XL feed	672	2,195

GROUND BELOW

Smart ROC D65 XLF – Angles



Horizontal Body		Backwards Tilt body: 10°		Front Tilt Body: 10°	
D65 XLF	-15.5°	D65 XLF	-20.5°	D65 XLF	-11°
D65 XLF with auto feed fold	-8.5°	D65 XLF with auto feed fold	-11.5°	D65 XLF with auto feed fold	-4°